

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (previously presented): A card holding structure in an internal housing comprising:

a card insertion port provided in a battery holding concave portion of the internal housing;

said card insertion port comprising a slope to guide the insertion of a card into said internal housing, wherein one end of the slope has an edge for abutting the card in a predetermined position and the other end is integral with the internal housing; and

a card connector for holding said card.

2. (previously presented): The card holding structure according to claim 1, wherein said internal housing is provided with a holding rib for inserting said card to the predetermined position.

3. (canceled).

4. (previously presented): The card holding structure according to claim 1 or 2, wherein said internal housing which covers said card connector has a check opening.

5.-8. (canceled).

9. (previously presented): The card holding structure according to claim 4, wherein said card is visible in said check opening only when said card is positioned in the predetermined position in said internal housing.

10. (currently amended): The card holding structure according to claim 1, wherein said internal housing comprises a card covering portion and wherein the card covering portion, ~~which covers said card,~~ is provided with at least one protrusion extending in a direction toward the card connector and retaining said card in said predetermined position.

11. (previously presented): The card holding structure according to claim 10, wherein the at least one protrusion is located substantially over the card connector.

12. (previously presented): The card holding structure according to claim 11, wherein said card is pressed against said card connector by the at least one protrusion.

13. (previously presented): The card holding structure according to claim 1, wherein said internal housing is provided with a card receiving portion limiting movement of said card in a specified direction the card within said internal housing.

14. (currently amended): A card holding structure in an internal housing comprising:

a card insertion port provided in a battery holding concave portion of an internal housing;
a slope part which is provided in said card insertion port to guide the insertion of a card
into said internal housing;

a stopper part located in said slope part, wherein the stopper part is ductile so as to
conform to the slope of the slope part when pressure is applied, and wherein the stopper part
abuts the card in a predetermined position; and

a card connector for holding said card,
wherein the slope part does not support the card in the predetermined position.

15. (currently amended): The card holding structure according to claim 1, wherein
the integrally formed end of the slope is integral with the battery holding concave portion of the
internal housing at an area defined by the card insertion port.

16. (previously presented): The card holding structure according to claim 1, wherein
the card does not contact the sloped portion of the slope in the predetermined position.

17. (previously presented): The card holding structure according to claim 1, wherein
the card is parallel to the card connector in the predetermined position.

18. (previously presented): The card holding structure according to claim 1, wherein
the card abutting edge end of the slope is located down the slope from the integrally formed end.

19. (previously presented): The card holding structure according to claim 14, wherein the card is parallel to the card connector in a predetermined position.

20. (currently amended): The card holding structure according to claim 10, wherein the at least one protrusion is formed on a surface ~~an inside part of the internal housing~~card covering portion which faces the card.

21. (new): The card holding structure according to claim 1, wherein the card abutting end of the slope is cut off to create an edge for abutting the card.

22. (new): The card holding structure according to claim 15, wherein the card abutting end of the slope extends into the internal housing.

23. (new): The card holding structure according to claim 1, wherein the card abuts the outermost edge of the card abutting end of the slope in the predetermined position.

24. (new): The card holding structure according to claim 1, wherein the slope does not support the card in the predetermined position.